




**BULETINI I SHKENCAVE GJEOLGJIKE**

**PROCEEDINGS  
XX CONGRESS OF THE  
CARPATHIAN-BALKAN  
GEOLOGICAL ASSOCIATION**

**SEPTEMBER 24-26, 2014**

**TIRANA, ALBANIA**



**Special Issue**  
**Vol 1/2014**  
**Special Sessions**

**Editors**

**Beqiraj A.**  
**Ionescu C.**  
**Christofides G.**  
**Uta A.**  
**Beqiraj Goga E.**  
**Marku S.**

**TIRANA 2014**

**EDITORIAL BOARD**  
**OF**  
**BULETINI I SHKENCAVE GJEOLGJIKE**

Arjan Beqiraj  
Përparim Hoxha  
Adil Neziraj  
Përparim Alikaj  
Mensi Prela  
Kujtim Onuzi  
Alaudin Kodra

ISSN 0254-5276  
ISSN 2306-9600

*PRINTED BY PEGI SHPK*



## **CBGA COUNCIL**

*President: Arjan Beqiraj (Albania)*

*Secretary General: Arben Pambuku (Albania)*

## **COUNCILLORS (NATIONAL REPRESENTATIVES)**

|                               |                       |
|-------------------------------|-----------------------|
| <i>Albania</i>                | Arjan Beqiraj         |
| <i>Austria</i>                | Volker Hoeck          |
| <i>Bosnia and Herzegovina</i> | Zehra Salkic          |
| <i>Bulgaria</i>               | Irena Peycheva        |
| <i>Czechia</i>                | Lilian Svabeicka      |
| <i>FYROM</i>                  | Blazo Boev            |
| <i>Greece</i>                 | Georgios Christofides |
| <i>Hungary</i>                | Geza Csaszar          |
| <i>Montenegro</i>             | Slobo Radusinovic     |
| <i>Poland</i>                 | Alfred Uchman         |
| <i>Romania</i>                | Corina Ionescu        |
| <i>Serbia</i>                 | Ljupko Rundić         |
| <i>Slovakia</i>               | Milan Kohut           |
| <i>Slovenia</i>               | Mirka Trajanova       |
| <i>Ukraine</i>                | Myroslav Pavlyuk      |

## **CBGA BOARDER**

*Arjan Beqiraj (Albania)*

*Arben Pambuku (Albania)*

*Georgios Christofides (Greece)*

## ORGANIZING COMMITTEES

Arjan Beqiraj, President of CBGA

### Vice President

Viktor Doda, Director of Geological Survey of Albania

### Secretary General

Arben Pambuku, Secretary of CBGA

### Executive Secretary

Andreea Uta

### Treasurer

Olgert Jaupaj

## MEMBERS

Jorgaq Kaçani – Rector of Polytechnic University of Tirana  
Perparim Hoxha – Dean of Faculty of Geology and Mining  
Salvatore Bushati – Academy of Science of Albania

|                         |                 |
|-------------------------|-----------------|
| Adil Neziraj            | Gjovalin Leka   |
| Alexandros Chatzipetros | Lavdie Moisiu   |
| Altin Karriqi           | Lejla Hadziç    |
| Bardhyl Muceku          | Mirka Trajanova |
| Blerta Serjani          | Oltion Fociro   |
| Enkeleida Goga Beqiraj  | Shkelqim Daja   |
| Enton Bedini            | Flora Progni    |
| Sokol Marku             |                 |

## INTERNATIONAL SCIENTIFIC COMMITTEE

|                       |                     |
|-----------------------|---------------------|
| Afat Serjani          | Kristaq Muska       |
| Agim Sinojmeri        | Ladislav Palinkas   |
| Aleksander Çina       | Llambro Duni        |
| Alfred Frasheri       | Maryse Ohnenstetter |
| Alfred Uchman         | Mensi Prela         |
| Andreas Luttge        | Milan Kohut         |
| Artan Tashko          | Milan Sudar         |
| Corina Ionescu        | Minella Shallo      |
| Dritan Siliqi         | Nikolla Konomi      |
| Eleni Gjani           | Perparim Alikaj     |
| Emilio Saccani        | Resmi Kamberaj      |
| Engjell Prenjasi      | Romeo Eftimi        |
| Friedrich Koller      | Ryszard Kryza       |
| Georgios Christofides | Selam Meco          |
| Géza Császár          | Vangjel Melo        |
| Ibrahim Milushi       | Vilson Sillo        |
| Ilir Alliu            | Volker Hoeck        |
| Kadri Gjata           | Yotzo Yanev         |

## FIELD TRIP SUBCOMMITTEE

|                 |               |
|-----------------|---------------|
| Avni Meshi      | Irakli Prifti |
| Çerçis Durmishi | Kujtim Onuzi  |
| Shaqir Nazaj    |               |



## REVIEWERS

|                          |                             |
|--------------------------|-----------------------------|
| Alikaj P., Albania       | Muceku Y., Albania          |
| Alliu I., Albania        | Nemeth K., New Zealand      |
| Balica C., Romania       | Neziraj A., Albania         |
| Balintoni I., Romania    | Ntaflos Th., Austria        |
| Beqiraj A., Albania      | Onuzi K., Albania           |
| Bonev N., Bulgaria       | Papanikolaou D., Greece     |
| Cavazza W., Italy        | Pecskay Z., Hungary         |
| Chatzipetros A., Greece  | Plissart G., France         |
| Christaras B., Greece    | Přikryl R., Czech Republic  |
| Codrea V., Romania       | Reicherter K., Germany      |
| Csaszar G., Hungary      | Robert M., Switzerland      |
| Cvetković V., Serbia     | Robertson A., Great Britain |
| Downes H., Great Britain | Robinson P T. China         |
| Duni Ll., Albania        | Saccani E., Italy           |
| Eftimi R., Albania       | Seghedi I., Romania         |
| Goga Beqiraj E., Albania | Serjani A., Albania         |
| Hoeck V., Austria        | Shanov S., Bulgaria         |
| Hoxha P., Albania        | Stefan S., Switzerland      |
| Ionescu C. Romania       | Szaniawski R., Polonia      |
| Kamberaj R., Australia   | Theodoridou M., Cyprus      |
| Kohut M., Slovakia       | Török Á., Hungary           |
| Korini Th., Albania      | Trifonov V., Romania        |
| Koukouvelas I., Greece   | Ustaszewski K., Germany     |
| Kryza R., Polonia        | Uta A., Romania             |
| Kürçer A., Turkey        | Uta A., Albania             |
| Marton I., Serbia        | von Quadt A., Switzerland   |
| Mazzoli S., Italy        | Wagreich M., Austria        |
| Michálik J., Slovakia    | Yang J.S., China            |
| Milushi I., Albania      | Zattin M., Italy            |
| Muceku B., Albania       |                             |

## THE ILOVITSA PORPHYRY CU-AU DEPOSIT: VEIN SEQUENCE, SULFIDE DEPOSITION AND FLUID INCLUSION STUDY

Stefanova E<sup>1</sup>, Georgiev S<sup>1</sup>, Peytcheva I<sup>1</sup>, Heinrich C<sup>2</sup>, Von Quadt A<sup>2</sup>, Donkova A<sup>3</sup> and Serafimovski T<sup>3</sup>

<sup>1</sup>Geological Institute, BAS, 1113 Sofia, [stefanova\\_e@geology.bas.bg](mailto:stefanova_e@geology.bas.bg)

<sup>2</sup>Institute of geochemistry and petrology, ETH-Zurich, [quadt@erdw.ethz.ch](mailto:quadt@erdw.ethz.ch)

<sup>3</sup> Faculty of Natural and Technical Sciences, "Goce Delcev" University-Stip, Macedonia

### Abstract

The Ilovitsa porphyry Cu-Au deposit is located 30 km away from the town of Strumitsa, SE FYR Macedonia. It is hosted in a Triassic granite (251.90 ± 0.89 Ma, Georgiev et al. 2013). The latter intrudes into the metamorphic rocks of the Vertiscos-Ograzhden Unit of the Serbo-Macedonian massif. Formation of the Ilovitsa deposit is related to the intrusion of multiple Tertiary porphyry intrusions (called the Ilovitsa Stock) and dykes. The Ilovitsa stock that hosts the Cu-Au mineralization is made up by two main intrusions with a similar granodioritic composition dated by ID-TIMS at 30.31 ± 0.05 Ma and 30.13 ± 0.03 Ma (Georgiev et al. 2013). The authors have determined that the ages of the dykes are between 28.8 and 29.6 Ma.

The main goal of the present study is to distinguish the relative timing of different vein types, vein minerals and related hydrothermal alteration. In addition, we determined the temperature conditions of their formation based on a fluid inclusion study where appropriate fluid inclusion assemblages were found. For that purpose 7 drill holes were sampled and around 80 samples were collected for laboratory analyses. Cross-cutting relationships were used to distinguish the relative timing of vein formation. SEM-CL petrography was then used for identification and textural correlation between successive quartz types, sulfides and fluid inclusion assemblages. Representative fluid inclusion assemblages were selected for further analyses by microthermometry. Hydrothermal veins were named according to their mineral assemblages and quartz textures. All analyses were performed at ETH Zurich.

We have distinguished several successive vein types: Magnetite or quartz-magnetite veinlets are up to few cm thick with potassic alteration. Quartz, where present, is granular with a homogeneous CL-gray luminescence. Barren quartz veins are divided into two subtypes: granular and crystalline quartz veins. Granular quartz veinlets are thin, with irregular walls and are related to potassic alteration. The quartz grains are anhedral with

CL-dark luminescence. Crystalline quartz veins are composed of subhedral to euhedral quartz crystals that have oscillatory zoning ranging in luminescence from CL-gray to CL-bright. Data from microthermometry of brine inclusions show that they were formed at temperature higher than 600 °C. Generally, these veins were reopened and filled with minerals from later mineral assemblages in the central parts. Magnetite-bornite-chalcopyrite veinlets are rare in Ilovitsa. Pyrite-chalcopyrite±hematite form thin veinlets cutting the earlier vein types. Inclusions of gold in chalcopyrite are observed. These veins typically contain only minor amounts of CL-dark luminescent quartz. Fluid inclusions suitable for microthermometry undoubtedly connected to the formation of this quartz were not found that is why we could not constrain the temperature of formation of these veins. Quartz-molybdenite veins commonly contain open spaces lined by euhedral quartz crystals with oscillatory zoning. Generally, symmetric lines of molybdenite flakes, growing adjacent to the vein walls, are observed. Based on microthermometry of brine inclusions, we determined that these veins are high temperature (T > 600°C). Quartz-pyrite veins with sericitic alteration cut all of the above described veins. These veins contain only small amounts of CL-dark luminescent quartz and pyrite. Microthermometry data of two-phase fluid inclusions showed that they were formed at a temperature around 290°C. Quartz-galena-sphalerite (±pyrite, chalcopyrite) veins are widely distributed in Ilovitsa. Quartz forms idiomorphic crystals with oscillatory zoning. Microthermometry data of two-phase fluid inclusions trapped in sphalerite crystals show temperatures between 300 °C and 270 °C. Quartz-carbonate veins were formed during a post-ore stage. Carbonates are found in thin veinlets as well as in voids of earlier formed veins.

**Acknowledgements:** The study is supported by SCOPES-Project No. IZ73Z0-128089 and the NSF D002-76/2008. Support by geologists of Euromax Resources Ltd is gratefully acknowledged.